



Porcelain gres

*Integrity...*

*Dedication...*

*Reliability...*

*Quality...*

*Development...*

*Research...*

*Competence...*

*Guarantee...*

*Service....*

*Organization...*

*Professionalism...*

*Innovation...*

*Abrasivi Adria srl has always been focused on improving our product offering through the use of quality materials and the provision of highly qualified technical service designed to meet the specific needs of our customers.*

*Over the years, we have assembled an international team of highly skilled in-house trained engineers who operate efficiently on the main world markets. Through wholly-owned operations in the USA, Brazil, Spain, Greece, Poland, Turkey and India, Abrasivi Adria srl can provide prompt support towards solving all technical problems related to the processing of stone.*

*In line with this commitment, our chemical laboratories are engaged in ongoing research and are constantly striving to provide innovative, eco-friendly solutions through the use of low environmental impact raw materials.*

*This new catalogue is intended as a comprehensive guide covering the entire spectrum of know-how developed by us and is subdivided into sections that group together the various stone working processes.*

*Our engineers and sales team will be happy to answer all your questions and advise you on the best use of our products.*



# ***Honing & Polishing***

● **Multiple-head Automatic Machines**

**page 4**

## HONING AND POLISHING SECTORS FOR USE WITH MULTIPLE-HEAD AUTOMATIC MACHINES

| CODE       | GRITS | TYPE | PCS PER CASE | UNIT WEIGHT |
|------------|-------|------|--------------|-------------|
| 005 07 006 | 16    | GS   | 20           | KG. 1.008   |
| 005 07 012 | 24    | GS   | 20           | KG. 1.008   |
| 005 07 018 | 36    | GS   | 20           | KG. 1.008   |
| 005 07 024 | 46    | GS   | 20           | KG. 1.008   |
| 005 07 030 | 60    | GS   | 20           | KG. 1.008   |
| 005 07 038 | 80    | GS   | 20           | KG. 1.008   |
| 005 07 046 | 100   | GS   | 20           | KG. 1.008   |
| 005 07 056 | 120   | GS   | 20           | KG. 1.008   |
| 005 07 057 | 120   | CK   | 20           | KG. 1.008   |
| 005 07 064 | 150   | GS   | 20           | KG. 1.008   |
| 005 07 065 | 150   | CK   | 20           | KG. 1.008   |
| 005 07 072 | 180   | GS   | 20           | KG. 1.008   |
| 005 07 073 | 180   | CK   | 20           | KG. 1.008   |
| 005 07 080 | 220   | GS   | 20           | KG. 1.008   |
| 005 07 081 | 220   | CK   | 20           | KG. 1.008   |
| 005 07 094 | 280   | GS   | 20           | KG. 1.008   |
| 005 07 095 | 280   | CK   | 20           | KG. 1.008   |
| 005 07 102 | 320   | GS   | 20           | KG. 1.008   |
| 005 07 103 | 320   | CK   | 20           | KG. 1.008   |
| 005 07 111 | 400   | CK   | 20           | KG. 1.008   |
| 005 07 107 | 400   | L    | 20           | KG. 1.008   |
| 005 07 119 | 600   | CK   | 20           | KG. 1.008   |
| 005 07 115 | 600   | Z    | 20           | KG. 1.008   |
| 005 07 131 | 800   | CK   | 20           | KG. 1.008   |
| 005 07 123 | 800   | L    | 20           | KG. 1.008   |
| 005 07 141 | 1000  | CK   | 20           | KG. 1.008   |
| 005 07 135 | 1000  | L    | 20           | KG. 1.008   |
| 005 07 151 | 1200  | CK   | 20           | KG. 1.008   |
| 005 07 145 | 1200  | L    | 20           | KG. 1.008   |
| 005 07 157 | 1500  | CK   | 20           | KG. 1.008   |
| 005 07 155 | 1500  | L    | 20           | KG. 1.008   |
| 005 07 163 | 1800  | CK   | 20           | KG. 1.008   |
| 005 07 165 | 1800  | L    | 20           | KG. 1.008   |

| CODE       | GRITS | PCS PER CASE | UNIT WEIGHT |
|------------|-------|--------------|-------------|
| 005 19 001 | 16    | 16           | KG. 1.076   |
| 005 19 003 | 24    | 16           | KG. 1.076   |
| 005 19 005 | 36    | 16           | KG. 1.076   |
| 005 19 007 | 46    | 16           | KG. 1.076   |
| 005 19 009 | 60    | 16           | KG. 1.076   |
| 005 19 011 | 80    | 16           | KG. 1.076   |
| 005 19 013 | 100   | 16           | KG. 1.076   |
| 005 19 015 | 120   | 16           | KG. 1.076   |
| 005 19 017 | 180   | 16           | KG. 1.076   |
| 005 19 019 | 220   | 16           | KG. 1.076   |
| 005 19 021 | 280   | 16           | KG. 1.076   |
| 005 19 023 | 320   | 16           | KG. 1.076   |
| 005 19 025 | 400   | 16           | KG. 1.076   |
| 005 19 027 | 600   | 16           | KG. 1.076   |
| 005 19 029 | 800   | 16           | KG. 1.076   |
| 005 19 031 | 1000  | 16           | KG. 1.076   |
| 005 19 033 | 1200  | 16           | KG. 1.076   |
| 005 19 035 | 1500  | 16           | KG. 1.076   |



### 140 MM MAGNESITE SECTORS

Magnesite sectors, 140 mm in size, for **honing** and polishing porcelain gres.

#### Features:

Available in a variety of grits to ensure excellent cutting performance and consistent product quality.

#### Types:



### 170 MM MAGNESITE SECTORS WITH PEDRINI FITTING

Magnesite sectors, 170 mm in size, with Pedrini connection, for **honing** and **polishing** porcelain gres.

#### Features:

Available in a variety of grits to ensure excellent cutting performance and consistent product quality.

#### Types::



HONING AND POLISHING SECTORS FOR USE WITH MULTIPLE-HEAD AUTOMATIC MACHINES

| CODE     | GRITS | TYPE | PCS PER CASE | UNIT WEIGHT |
|----------|-------|------|--------------|-------------|
| 0057 432 | 36    | GS   | 16           | KG. 1,008   |
| 0057 435 | 46    | GS   | 16           | KG. 1,008   |
| 0057 438 | 60    | GS   | 16           | KG. 1,008   |
| 0057 442 | 80    | GS   | 16           | KG. 1,008   |
| 0057 445 | 100   | GS   | 16           | KG. 1,008   |
| 0057 448 | 120   | GS   | 16           | KG. 1,008   |
| 0057 452 | 150   | GS   | 16           | KG. 1,008   |
| 0057 455 | 180   | GS   | 16           | KG. 1,008   |
| 0057 458 | 220   | GS   | 16           | KG. 1,008   |
| 0057 462 | 280   | GS   | 16           | KG. 1,008   |
| 0057 465 | 320   | GS   | 16           | KG. 1,008   |
| 0057 468 | 400   | L    | 16           | KG. 1,008   |
| 0057 472 | 600   | Z    | 16           | KG. 1,008   |
| 0057 475 | 800   | L    | 16           | KG. 1,008   |
| 0057 478 | 1000  | L    | 16           | KG. 1,008   |
| 0057 482 | 1200  | L    | 16           | KG. 1,008   |
| 0057 485 | 1500  | L    | 16           | KG. 1,008   |



### 160 MM MAGNESITE SECTORS

Magnesite sectors, 160 mm size for honing and polishing porcelain gres.


#### Features:

Available in a variety of grits to ensure excellent cutting performance and consistent product quality.

#### Tipologie disponibili:

- MEDIA  
GS-L-Z
- TENERA  
CK

| CODE       | GRITS | PCS PER CASE | UNIT WEIGHT |
|------------|-------|--------------|-------------|
| 001 86 201 | 24    | 36           | KG. 0,546   |
| 001 86 205 | 36    | 36           | KG. 0,546   |
| 001 86 210 | 46    | 36           | KG. 0,546   |
| 001 86 215 | 60    | 36           | KG. 0,546   |
| 001 86 220 | 80    | 36           | KG. 0,546   |
| 001 86 225 | 100   | 36           | KG. 0,546   |
| 001 86 230 | 120   | 36           | KG. 0,546   |
| 001 86 235 | 150   | 36           | KG. 0,546   |
| 001 86 240 | 180   | 36           | KG. 0,546   |
| 001 86 245 | 220   | 36           | KG. 0,546   |
| 001 86 250 | 240   | 36           | KG. 0,546   |
| 001 86 255 | 280   | 36           | KG. 0,546   |
| 001 86 260 | 320   | 36           | KG. 0,546   |



### ADRIALUXCER 130 MM HIGH-PROFILE DIAMOND SECTORS

"Adrialuxcer" synthetic bond high-profile diamond sectors, 130 mm in size, for perfect honing and polishing of porcelain gres.

#### Features:

These abrasives offer remarkable advantages, namely: very high cutting efficiency, very long life resulting in reduced downtime for abrasive change, no problems due to ageing of the binder and, last but not least, drastic reduction of sludge volumes as compared to conventional magnesite abrasives.

## HONING AND POLISHING SECTORS FOR USE WITH MULTIPLE-HEAD AUTOMATIC MACHINES

| CODE       | GRITS | PCS PER CASE | UNIT WEIGHT |
|------------|-------|--------------|-------------|
| 001 86 701 | 24    | 36           | KG. 0.798   |
| 001 86 705 | 36    | 36           | KG. 0.798   |
| 001 86 710 | 46    | 36           | KG. 0.798   |
| 001 86 715 | 60    | 36           | KG. 0.798   |
| 001 86 720 | 80    | 36           | KG. 0.798   |
| 001 86 725 | 100   | 36           | KG. 0.798   |
| 001 86 730 | 120   | 36           | KG. 0.798   |
| 001 86 735 | 150   | 36           | KG. 0.798   |
| 001 86 740 | 180   | 36           | KG. 0.798   |
| 001 86 745 | 220   | 36           | KG. 0.798   |
| 001 86 750 | 240   | 36           | KG. 0.798   |
| 001 86 755 | 280   | 36           | KG. 0.798   |
| 001 86 760 | 320   | 36           | KG. 0.798   |



### ADRIALUXCER 170 MM HIGH-PROFILE DIAMOND SECTORS


“Adrialuxcer” synthetic bond high-profile diamond sectors, 170 mm in size, for perfect **hon**ing and **pol**ishing of porcelain gres.

#### Features:

These abrasives offer remarkable advantages, namely: very high cutting efficiency, very long life resulting in reduced downtime for abrasive change, no problems due to ageing of the binder and, last but not least, drastic reduction of sludge volumes as compared to conventional magnesite abrasives.

### HONING AND POLISHING SECTORS FOR USE WITH MULTIPLE-HEAD AUTOMATIC MACHINES

| CODE       | OUTER DIAMETER | GRITS      |
|------------|----------------|------------|
| 001 70 001 | mm. 80         | 40         |
| 001 70 005 | mm. 80         | 60         |
| 001 70 010 | mm. 80         | 80         |
| 001 70 015 | mm. 80         | 120        |
| 001 70 020 | mm. 80         | 200        |
| 001 70 025 | mm. 80         | 300        |
| 001 70 030 | mm. 80         | 400        |
| 001 70 040 | mm. 80         | 600        |
| 001 70 045 | mm. 80         | 800        |
| 001 70 055 | mm. 80         | 1500       |
| 001 70 065 | mm. 80         | 3000       |
| 001 70 070 | mm. 80         | 6000       |
| 001 70 076 | mm. 80         | Lux Bianco |
| 001 70 077 | mm. 80         | Lux Nero   |
| 001 70 205 | mm. 100        | 40         |
| 001 70 210 | mm. 100        | 60         |
| 001 70 215 | mm. 100        | 80         |
| 001 70 220 | mm. 100        | 120        |
| 001 70 225 | mm. 100        | 200        |
| 001 70 230 | mm. 100        | 300        |
| 001 70 235 | mm. 100        | 400        |
| 001 70 245 | mm. 100        | 600        |
| 001 70 250 | mm. 100        | 800        |
| 001 70 260 | mm. 100        | 1500       |
| 001 70 270 | mm. 100        | 3000       |
| 001 70 275 | mm. 100        | 6000       |
| 001 70 282 | mm. 100        | Lux Bianco |
| 001 70 283 | mm. 100        | Lux Nero   |
| 001 70 290 | mm. 100        | 40 Gold    |
| 001 70 295 | mm. 100        | 60 Gold    |
| 001 70 300 | mm. 100        | 80 Gold    |
| 001 70 305 | mm. 100        | 120 Gold   |
| 001 70 310 | mm. 100        | 200 Gold   |
| 001 70 315 | mm. 100        | 300 Gold   |
| 001 70 320 | mm. 100        | 400 Gold   |
| 001 70 330 | mm. 100        | 600 Gold   |
| 001 70 335 | mm. 100        | 800 Gold   |



#### ADRIALUX FLEXIBLE DIAMOND DISCS FOR WET USE

"Adrialux" Velcro backed flexible diamond discs for wet use, available in 80 - 100 mm and 125 mm diameter for chamfering.

| CODE       | OUTER DIAMETER | GRITS           |
|------------|----------------|-----------------|
| 001 70 345 | mm. 100        | 1500 Gold       |
| 001 70 355 | mm. 100        | 3000 Gold       |
| 001 70 360 | mm. 100        | 6000 Gold       |
| 001 70 368 | mm. 100        | Lux bianco gold |
| 001 70 369 | mm. 100        | Lux nero gold   |
| 001 70 805 | mm. 125        | 40              |
| 001 70 810 | mm. 125        | 60              |
| 001 70 815 | mm. 125        | 80              |
| 001 70 820 | mm. 125        | 120             |
| 001 70 825 | mm. 125        | 200             |
| 001 70 830 | mm. 125        | 300             |
| 001 70 835 | mm. 125        | 400             |
| 001 70 845 | mm. 125        | 600             |
| 001 70 850 | mm. 125        | 800             |
| 001 70 860 | mm. 125        | 1500            |
| 001 70 870 | mm. 125        | 3000            |
| 001 70 875 | mm. 125        | 6000            |
| 001 70 882 | mm. 125        | Lux Bianco      |
| 001 70 883 | mm. 125        | Lux Nero        |





HONING AND POLISHING SECTORS FOR USE WITH MULTIPLE-HEAD AUTOMATIC MACHINES

| CODE       |
|------------|
| 005 43 007 |



**FICKERT FELT SECTORS MM. 140 FOR "MEDIUM" POLISHING**

Fickert felt sectors for honed finishing grain 240.

| CODE       |
|------------|
| 005 43 008 |



**FICKERT FELT SECTORS MM. 140 FOR "FINE" POLISHING**

Fickert felt sectors for honed finishing grain 320.

| CODE       |
|------------|
| 005 43 014 |



**FICKERT FELT SECTORS MM. 170 FOR "FINE" POLISHING**

Fickert felt sectors for honed finishing grain 240.

# ***Lapping & Satin Finishing***

● Multiple-head Automatic Machines

page 10

## LAPPING SECTORS FOR USE WITH MULTIPLE-HEAD AUTOMATIC MACHINES

| CODE       | GRITS | PCS PER CASE | UNIT WEIGHT |
|------------|-------|--------------|-------------|
| 001 86 001 | 36    | 36           | KG. 0,310   |
| 001 86 005 | 46    | 36           | KG. 0,310   |
| 001 86 010 | 60    | 36           | KG. 0,310   |
| 001 86 015 | 80    | 36           | KG. 0,310   |
| 001 86 020 | 100   | 36           | KG. 0,310   |
| 001 86 025 | 120   | 36           | KG. 0,310   |
| 001 86 030 | 150   | 36           | KG. 0,310   |
| 001 86 035 | 180   | 36           | KG. 0,310   |
| 001 86 040 | 220   | 36           | KG. 0,310   |
| 001 86 050 | 280   | 36           | KG. 0,310   |
| 001 86 055 | 320   | 36           | KG. 0,310   |
| 001 86 065 | 400   | 36           | KG. 0,310   |
| 001 86 075 | 600   | 36           | KG. 0,310   |
| 001 86 080 | 800   | 36           | KG. 0,310   |
| 001 86 085 | 1000  | 36           | KG. 0,310   |
| 001 86 090 | 1200  | 36           | KG. 0,310   |
| 001 86 095 | 1500  | 36           | KG. 0,310   |
| 001 86 100 | 1800  | 36           | KG. 0,310   |
| 001 86 105 | 2000  | 36           | KG. 0,310   |
| 001 86 110 | 3000  | 36           | KG. 0,310   |
| 001 86 115 | 4000  | 36           | KG. 0,310   |
| 001 86 120 | 5000  | 36           | KG. 0,310   |
| 001 86 125 | 6000  | 36           | KG. 0,310   |



### ADRIALUXCER 130 MM DIAMOND SECTORS, CHECKERED PATTERN

"Adrialuxcer" diamond sectors, 130 mm in size, with a checkerboard-like pattern, ideal for **lapping** porcelain gres.

#### Features:

These sectors can be supplied in various types and rubber shock absorbing solutions, depending on the type of job and the aesthetic effect desired.

| CODE       | GRITS | PCS PER CASE | UNIT WEIGHT |
|------------|-------|--------------|-------------|
| 001 86 002 | 36    | 36           | KG. 0,263   |
| 001 86 006 | 46    | 36           | KG. 0,263   |
| 001 86 011 | 60    | 36           | KG. 0,263   |
| 001 86 016 | 80    | 36           | KG. 0,263   |
| 001 86 021 | 100   | 36           | KG. 0,263   |
| 001 86 026 | 120   | 36           | KG. 0,263   |
| 001 86 031 | 150   | 36           | KG. 0,263   |
| 001 86 036 | 180   | 36           | KG. 0,263   |
| 001 86 041 | 220   | 36           | KG. 0,263   |
| 001 86 046 | 240   | 36           | KG. 0,263   |
| 001 86 051 | 280   | 36           | KG. 0,263   |
| 001 86 056 | 320   | 36           | KG. 0,263   |
| 001 86 066 | 400   | 36           | KG. 0,263   |
| 001 86 071 | 500   | 36           | KG. 0,263   |
| 001 86 076 | 600   | 36           | KG. 0,263   |
| 001 86 081 | 800   | 36           | KG. 0,263   |
| 001 86 086 | 1000  | 36           | KG. 0,263   |
| 001 86 091 | 1200  | 36           | KG. 0,263   |
| 001 86 096 | 1500  | 36           | KG. 0,263   |
| 001 86 101 | 1800  | 36           | KG. 0,263   |
| 001 86 106 | 2000  | 36           | KG. 0,263   |
| 001 86 111 | 3000  | 36           | KG. 0,263   |
| 001 86 116 | 4000  | 36           | KG. 0,263   |
| 001 86 121 | 5000  | 36           | KG. 0,263   |
| 001 86 127 | 6000  | 36           | KG. 0,263   |



### ADRIALUXCER 70 MM DIAMOND SECTORS, CHECKERED PATTERN, ON A 130 MM BASE

"Adrialuxcer" diamond sectors, 70 mm in size, with a checkerboard-like pattern, on a 130 mm base. Ideal for achieving a perfect **lapping** in cases where **superior cutting performance** is needed, in **hollow areas or on tile edges**.

#### Features:

These sectors can be supplied in various types and rubber shock absorbing solutions, depending on the type of job and the aesthetic effect desired.

### LAPPING SECTORS FOR USE WITH MULTIPLE-HEAD AUTOMATIC MACHINES

| CODE       | GRITS | PCS PER CASE | UNIT WEIGHT |
|------------|-------|--------------|-------------|
| 001 86 801 | 36    | 36           | KG. 0,372   |
| 001 86 805 | 46    | 36           | KG. 0,372   |
| 001 86 810 | 60    | 36           | KG. 0,372   |
| 001 86 815 | 80    | 36           | KG. 0,372   |
| 001 86 820 | 100   | 36           | KG. 0,372   |
| 001 86 825 | 120   | 36           | KG. 0,372   |
| 001 86 830 | 150   | 36           | KG. 0,372   |
| 001 86 835 | 180   | 36           | KG. 0,372   |
| 001 86 840 | 220   | 36           | KG. 0,372   |
| 001 86 850 | 280   | 36           | KG. 0,372   |
| 001 86 855 | 320   | 36           | KG. 0,372   |
| 001 86 865 | 400   | 36           | KG. 0,372   |
| 001 86 875 | 600   | 36           | KG. 0,372   |
| 001 86 880 | 800   | 36           | KG. 0,372   |
| 001 86 885 | 1000  | 36           | KG. 0,372   |
| 001 86 890 | 1200  | 36           | KG. 0,372   |
| 001 86 895 | 1500  | 36           | KG. 0,372   |
| 001 86 900 | 1800  | 36           | KG. 0,372   |
| 001 86 905 | 2000  | 36           | KG. 0,372   |
| 001 86 910 | 3000  | 36           | KG. 0,372   |
| 001 86 915 | 4000  | 36           | KG. 0,372   |
| 001 86 920 | 5000  | 36           | KG. 0,372   |
| 001 86 925 | 6000  | 36           | KG. 0,372   |



#### ADRIALUXCER 170 MM DIAMOND SECTORS, CHECKERED PATTERN

"Adrialuxcer" 170 mm diamond sectors, with a checkerboard-like pattern, ideal for **lapping** porcelain gres.

#### Features:

These sectors can be supplied in various types and rubber shock absorbing solutions, depending on the type of job and the aesthetic effect desired.

| CODE       | GRITS | PCS PER CASE | UNIT WEIGHT |
|------------|-------|--------------|-------------|
| 001 86 802 | 36    | 36           | KG. 0,322   |
| 001 86 806 | 46    | 36           | KG. 0,322   |
| 001 86 811 | 60    | 36           | KG. 0,322   |
| 001 86 816 | 80    | 36           | KG. 0,322   |
| 001 86 821 | 100   | 36           | KG. 0,322   |
| 001 86 826 | 120   | 36           | KG. 0,322   |
| 001 86 831 | 150   | 36           | KG. 0,322   |
| 001 86 836 | 180   | 36           | KG. 0,322   |
| 001 86 841 | 220   | 36           | KG. 0,322   |
| 001 86 851 | 280   | 36           | KG. 0,322   |
| 001 86 856 | 320   | 36           | KG. 0,322   |
| 001 86 866 | 400   | 36           | KG. 0,322   |
| 001 86 876 | 600   | 36           | KG. 0,322   |
| 001 86 881 | 800   | 36           | KG. 0,322   |
| 001 86 886 | 1000  | 36           | KG. 0,322   |
| 001 86 891 | 1200  | 36           | KG. 0,322   |
| 001 86 896 | 1500  | 36           | KG. 0,322   |
| 001 86 901 | 1800  | 36           | KG. 0,322   |
| 001 86 906 | 2000  | 36           | KG. 0,322   |
| 001 86 911 | 3000  | 36           | KG. 0,322   |
| 001 86 916 | 4000  | 36           | KG. 0,322   |
| 001 86 921 | 5000  | 36           | KG. 0,322   |
| 001 86 926 | 6000  | 36           | KG. 0,322   |



#### ADRIALUXCER 95 MM DIAMOND SECTORS, CHECKERED PATTERN, ON A 170 MM BASE

"Adrialuxcer" diamond sectors, 95 mm in size, with a checkerboard-like pattern, on a 130 mm base. Ideal for achieving a perfect lapping in cases where **superior cutting performance** is needed, in **hollow areas** or on **tile edges**.

#### Features:

These sectors can be supplied in various types and rubber shock absorbing solutions, depending on the type of job and the aesthetic effect desired.

## LAPPING SECTORS FOR USE WITH MULTIPLE-HEAD AUTOMATIC MACHINES

| CODE       | GRITS | PCS PER CASE |
|------------|-------|--------------|
| 001 86 303 | 36    | 36           |
| 001 86 305 | 46    | 36           |
| 001 86 307 | 60    | 36           |
| 001 86 309 | 80    | 36           |
| 001 86 311 | 100   | 36           |
| 001 86 313 | 120   | 36           |
| 001 86 315 | 150   | 36           |
| 001 86 317 | 180   | 36           |
| 001 86 319 | 220   | 36           |
| 001 86 321 | 280   | 36           |
| 001 86 323 | 320   | 36           |
| 001 86 325 | 400   | 36           |
| 001 86 327 | 600   | 36           |
| 001 86 329 | 800   | 36           |
| 001 86 331 | 1000  | 36           |
| 001 86 333 | 1200  | 36           |
| 001 86 335 | 1500  | 36           |
| 001 86 337 | 1800  | 36           |
| 001 86 339 | 3000  | 36           |
| 001 86 341 | 4000  | 36           |
| 001 86 343 | 5000  | 36           |



### ADRIALUXCER 130 MM RESIN BOND SECTORS, CHECKERED TYPE, 22 SECTORS

"Adrialuxcer" resin bond sectors, 130 mm in size, with a checkerboard pattern, ideal for lapping porcelain gres.

#### Features:

These sectors can be supplied in various types and rubber shock absorbing solutions, depending on the type of finishing and the aesthetic effect desired.

| CODE       | GRITS | PCS PER CASE |
|------------|-------|--------------|
| 001 86 353 | 36    | 36           |
| 001 86 355 | 46    | 36           |
| 001 86 357 | 60    | 36           |
| 001 86 359 | 80    | 36           |
| 001 86 361 | 100   | 36           |
| 001 86 363 | 120   | 36           |
| 001 86 365 | 150   | 36           |
| 001 86 367 | 180   | 36           |
| 001 86 369 | 220   | 36           |
| 001 86 371 | 280   | 36           |
| 001 86 373 | 320   | 36           |
| 001 86 375 | 400   | 36           |
| 001 86 377 | 600   | 36           |
| 001 86 379 | 800   | 36           |
| 001 86 381 | 1000  | 36           |
| 001 86 383 | 1200  | 36           |
| 001 86 385 | 1500  | 36           |
| 001 86 387 | 1800  | 36           |
| 001 86 389 | 3000  | 36           |
| 001 86 391 | 4000  | 36           |
| 001 86 393 | 5000  | 36           |



### ADRIALUXCER 130 MM RESIN BOND SECTORS, CHECKERED TYPE, 10 SECTORS

"Adrialuxcer" diamond sectors, 130 mm in size, with a checkerboard pattern, ideal for lapping porcelain gres.

#### Features:

These sectors can be supplied in various types and rubber shock absorbing solutions, depending on the type of job and the aesthetic effect desired.

### LAPPING SECTORS FOR USE WITH MULTIPLE-HEAD AUTOMATIC MACHINES

| CODE       | GRITS | PCS PER CASE | UNIT WEIGHT |
|------------|-------|--------------|-------------|
| 001 86 401 | 24    | 36           | KG. 0, 176  |
| 001 86 403 | 36    | 36           | KG. 0, 176  |
| 001 86 406 | 46    | 36           | KG. 0, 176  |
| 001 86 409 | 60    | 36           | KG. 0, 176  |
| 001 86 412 | 80    | 36           | KG. 0, 176  |
| 001 86 415 | 100   | 36           | KG. 0, 176  |
| 001 86 418 | 120   | 36           | KG. 0, 176  |
| 001 86 421 | 150   | 36           | KG. 0, 176  |
| 001 86 424 | 180   | 36           | KG. 0, 176  |
| 001 86 427 | 220   | 36           | KG. 0, 176  |
| 001 86 433 | 280   | 36           | KG. 0, 176  |
| 001 86 436 | 320   | 36           | KG. 0, 176  |
| 001 86 439 | 400   | 36           | KG. 0, 176  |
| 001 86 442 | 600   | 36           | KG. 0, 176  |
| 001 86 445 | 800   | 36           | KG. 0, 176  |
| 001 86 448 | 1000  | 36           | KG. 0, 176  |
| 001 86 451 | 1200  | 36           | KG. 0, 176  |
| 001 86 454 | 1500  | 36           | KG. 0, 176  |
| 001 86 457 | 1800  | 36           | KG. 0, 176  |
| 001 86 460 | 2000  | 36           | KG. 0, 176  |
| 001 86 463 | 3000  | 36           | KG. 0, 176  |
| 001 86 466 | 4000  | 36           | KG. 0, 176  |
| 001 86 469 | 5000  | 36           | KG. 0, 176  |
| 001 86 472 | 6000  | 36           | KG. 0, 176  |



#### ADRIALUXCER 95 MM DIAMOND SECTORS, CHECKERED PATTERN

"Adrialuxcer" diamond sectors, 95 mm in size, with a checkerboard-like pattern (MINIFIKERT). Ideal for achieving a perfect lapping of porcelain gres surfaces, in cases where **superior cutting performance** is needed, in **hollow areas or on tile edges**.

| CODE       | GRITS | UNIT WEIGHT |
|------------|-------|-------------|
| 001 86 551 | 24    | KG. 0,493   |
| 001 86 553 | 36    | KG. 0,493   |
| 001 86 556 | 46    | KG. 0,493   |
| 001 86 559 | 60    | KG. 0,493   |
| 001 86 562 | 80    | KG. 0,493   |
| 001 86 565 | 100   | KG. 0,493   |
| 001 86 568 | 120   | KG. 0,493   |
| 001 86 571 | 150   | KG. 0,493   |
| 001 86 574 | 180   | KG. 0,493   |
| 001 86 577 | 220   | KG. 0,493   |
| 001 86 583 | 280   | KG. 0,493   |
| 001 86 586 | 320   | KG. 0,493   |
| 001 86 589 | 400   | KG. 0,493   |
| 001 86 592 | 600   | KG. 0,493   |
| 001 86 595 | 800   | KG. 0,493   |
| 001 86 598 | 1000  | KG. 0,493   |
| 001 86 601 | 1200  | KG. 0,493   |
| 001 86 604 | 1500  | KG. 0,493   |
| 001 86 607 | 1800  | KG. 0,493   |
| 001 86 610 | 2000  | KG. 0,493   |
| 001 86 613 | 3000  | KG. 0,493   |
| 001 86 616 | 4000  | KG. 0,493   |
| 001 86 619 | 5000  | KG. 0,493   |
| 001 86 622 | 6000  | KG. 0,493   |



#### ADRIALUXCER 150 MM CIRCULAR WHEELS, WITH CHECKERED PATTERN & ANCORA CONNECTION

"Adrialuxcer" circular diamond wheels, 150 mm in diameter, with a checkerboard-like pattern and Ancora connection. Ideal to achieve a perfect **lapping** on **rough or slightly undulating surfaces**.

#### Features:

These wheels can be supplied in various types and rubber shock absorbing solutions, depending on the type of job and the aesthetic effect desired.

## LAPPING SECTORS FOR USE WITH MULTIPLE-HEAD AUTOMATIC MACHINES

| CODE       | GRITS | TYPE         | PCS PER CASE | UNIT WEIGHT |
|------------|-------|--------------|--------------|-------------|
| 020 40 005 | 24    | resin coated | 18           | kg. 0,290   |
| 020 40 010 | 36    | resin coated | 18           | kg. 0,290   |
| 020 40 015 | 46    | resin coated | 18           | kg. 0,290   |
| 020 40 020 | 60    | resin coated | 18           | kg. 0,290   |
| 020 40 025 | 80    | resin coated | 18           | kg. 0,290   |
| 020 40 030 | 100   | resin coated | 18           | kg. 0,290   |
| 020 40 035 | 120   | resin coated | 18           | kg. 0,290   |
| 020 40 040 | 180   | resin coated | 18           | kg. 0,290   |
| 020 40 045 | 220   | resin coated | 18           | kg. 0,290   |
| 020 40 050 | 240   | resin coated | 18           | kg. 0,290   |
| 020 40 055 | 280   | resin coated | 18           | kg. 0,290   |
| 020 40 060 | 320   | resin coated | 18           | kg. 0,290   |
| 020 40 065 | 500   | resin coated | 18           | kg. 0,290   |
| 020 40 070 | 600   | resin coated | 18           | kg. 0,290   |
| 020 40 075 | 800   | resin coated | 18           | kg. 0,290   |
| 020 40 080 | 1000  | resin coated | 18           | kg. 0,290   |
| 020 40 085 | 1800  | resin coated | 18           | kg. 0,290   |



### ADRIAFLEX SECTOR STYLE 140 MM DIAMOND BRUSHES

"Adriaflex" resin-coated brushes with diamond wire filaments, ideal for creating a "silk texture" finish on porcelain gres.

#### Features:

These brushes are used to "soften up" the surface of tiles that are too rough, or to remove any scratch marks left by the previous honing or lapping steps.

| CODE       | GRITS | TYPE         | PCS PER CASE | UNIT WEIGHT |
|------------|-------|--------------|--------------|-------------|
| 020 40 505 | 24    | resin coated | 12           | Kg 0,350    |
| 020 40 510 | 36    | resin coated | 12           | Kg 0,350    |
| 020 40 515 | 46    | resin coated | 12           | Kg 0,350    |
| 020 40 520 | 60    | resin coated | 12           | Kg 0,350    |
| 020 40 525 | 80    | resin coated | 12           | Kg 0,350    |
| 020 40 530 | 100   | resin coated | 12           | Kg 0,350    |
| 020 40 535 | 120   | resin coated | 12           | Kg 0,350    |
| 020 40 540 | 180   | resin coated | 12           | Kg 0,350    |
| 020 40 545 | 220   | resin coated | 12           | Kg 0,350    |
| 020 40 550 | 240   | resin coated | 12           | Kg 0,350    |
| 020 40 555 | 280   | resin coated | 12           | Kg 0,350    |
| 020 40 560 | 320   | resin coated | 12           | Kg 0,350    |
| 020 40 565 | 500   | resin coated | 12           | Kg 0,350    |
| 020 40 570 | 600   | resin coated | 12           | Kg 0,350    |
| 020 40 575 | 800   | resin coated | 12           | Kg 0,350    |
| 020 40 580 | 1000  | resin coated | 12           | Kg 0,350    |
| 020 40 585 | 1800  | resin coated | 12           | Kg 0,350    |



### ADRIAFLEX SECTOR STYLE 170 MM DIAMOND BRUSHES

"Adriaflex" resin-coated brushes with diamond wire filaments, ideal for creating a "silk texture" finish on porcelain gres.

#### Features:

These brushes are used to "soften up" the surface of tiles that are too rough, or to remove any scratch marks left by the previous honing or lapping steps.



### SATIN-FINISHING SECTORS FOR USE WITH MULTIPLE-HEAD AUTOMATIC MACHINES

| CODE       | GRITS | TYPE  | PCS PER CASE | UNIT WEIGHT |
|------------|-------|-------|--------------|-------------|
| 020 30 050 | 24    | plain | 18           | kg. 0,350   |
| 020 30 051 | 36    | plain | 18           | kg. 0,350   |
| 020 30 055 | 46    | plain | 18           | kg. 0,350   |
| 020 30 060 | 60    | plain | 18           | kg. 0,350   |
| 020 30 065 | 80    | plain | 18           | kg. 0,350   |
| 020 30 070 | 120   | plain | 18           | kg. 0,350   |
| 020 30 075 | 180   | plain | 18           | kg. 0,350   |
| 020 30 080 | 240   | plain | 18           | kg. 0,350   |
| 020 30 085 | 320   | plain | 18           | kg. 0,350   |
| 020 30 090 | 500   | plain | 18           | kg. 0,350   |
| 020 30 092 | 800   | plain | 18           | kg. 0,350   |
| 020 30 095 | 1000  | plain | 18           | kg. 0,350   |
| 020 30 000 | 24    | resin | 18           | kg. 0,350   |
| 020 30 001 | 36    | resin | 18           | kg. 0,350   |
| 020 30 005 | 46    | resin | 18           | kg. 0,350   |
| 020 30 010 | 60    | resin | 18           | kg. 0,350   |
| 020 30 015 | 80    | resin | 18           | kg. 0,350   |
| 020 30 020 | 120   | resin | 18           | kg. 0,350   |
| 020 30 025 | 180   | resin | 18           | kg. 0,350   |
| 020 30 030 | 240   | resin | 18           | kg. 0,350   |
| 020 30 035 | 320   | resin | 18           | kg. 0,350   |
| 020 30 040 | 500   | resin | 18           | kg. 0,350   |
| 020 30 042 | 800   | resin | 18           | kg. 0,350   |
| 020 30 045 | 1000  | resin | 18           | kg. 0,350   |



#### SECTOR STYLE 140 MM SILICON CARBIDE BRUSHES

Sector style silicon carbide brushes, 140 mm in size, plain or resin-coated, ideal for creating a "silk texture" finish on porcelain gres.

#### Features:

These brushes are less used than diamond wire brushes, because they have less abrasive power. However, they are used in conjunction with ADRIAFLEX brushes, especially with intermediate and finishing grits, where less abrasive action is required, because they are less expensive.

| CODE       | GRITS | TYPE  | PCS PER CASE | UNIT WEIGHT |
|------------|-------|-------|--------------|-------------|
| 020 30 500 | 24    | resin | 12           | Kg 0,423    |
| 020 30 501 | 36    | resin | 12           | Kg 0,423    |
| 020 30 505 | 46    | resin | 12           | Kg 0,423    |
| 020 30 510 | 60    | resin | 12           | Kg 0,423    |
| 020 30 515 | 80    | resin | 12           | Kg 0,423    |
| 020 30 520 | 120   | resin | 12           | Kg 0,423    |
| 020 30 525 | 180   | resin | 12           | Kg 0,423    |
| 020 30 530 | 240   | resin | 12           | Kg 0,423    |
| 020 30 535 | 320   | resin | 12           | Kg 0,423    |
| 020 30 540 | 500   | resin | 12           | Kg 0,423    |
| 020 30 542 | 800   | resin | 12           | Kg 0,423    |
| 020 30 545 | 1000  | resin | 12           | Kg 0,423    |



#### SECTOR STYLE 170 MM SILICON CARBIDE BRUSHES

Sector style silicon carbide brushes, 170 mm in size, plain or resin-coated, ideal for creating a "silk texture" finish on porcelain gres.

#### Features:

These brushes are less used than diamond wire brushes, because they have less abrasive power. However, they are used in conjunction with ADRIAFLEX brushes, especially with intermediate and finishing grits, where less abrasive action is required, because they are less expensive.



SATIN-FINISHING SECTORS FOR USE WITH MULTIPLE-HEAD AUTOMATIC MACHINES

| CODE      | GRITS | PCS PER CASE |
|-----------|-------|--------------|
| 02045 105 | 16    | 6            |
| 02045 110 | 24    | 6            |
| 02045 115 | 36    | 6            |
| 02045 120 | 46    | 6            |
| 02045 125 | 60    | 6            |
| 02045 130 | 80    | 6            |
| 02045 135 | 120   | 6            |
| 02045 140 | 180   | 6            |
| 02045 145 | 220   | 6            |
| 02045 150 | 280   | 6            |
| 02045 155 | 320   | 6            |
| 02045 165 | 400   | 6            |
| 02045 170 | 600   | 6            |
| 02045 175 | 800   | 6            |
| 02045 180 | 1000  | 6            |
| 02045 185 | 1200  | 6            |
| 02045 190 | 1500  | 6            |
| 02045 195 | 1800  | 6            |



**GOMMAFLEX DIAMOND BRUSHES MM. 140**

Rubber tangential sectors mm. 140 ideal for uniform honed or matt finishing . Intensifies the color of the surface.

### SATIN-FINISHING SECTORS FOR USE WITH MULTIPLE-HEAD AUTOMATIC MACHINES

| CODE       | GRITS | TYPE         | PCS PER CASE | UNIT WEIGHT |
|------------|-------|--------------|--------------|-------------|
| 020 82 603 | 36    | resin coated | 12           | kg. 0,290   |
| 020 82 606 | 46    | resin coated | 12           | kg. 0,290   |
| 020 82 609 | 60    | resin coated | 12           | kg. 0,290   |
| 020 82 612 | 80    | resin coated | 12           | kg. 0,290   |
| 020 82 615 | 100   | resin coated | 12           | kg. 0,290   |
| 020 82 618 | 120   | resin coated | 12           | kg. 0,290   |
| 020 82 621 | 180   | resin coated | 12           | kg. 0,290   |
| 020 82 624 | 220   | resin coated | 12           | kg. 0,290   |
| 020 82 627 | 240   | resin coated | 12           | kg. 0,290   |
| 020 82 630 | 280   | resin coated | 12           | kg. 0,290   |
| 020 82 633 | 320   | resin coated | 12           | kg. 0,290   |
| 020 82 636 | 500   | resin coated | 12           | kg. 0,290   |
| 020 82 639 | 800   | resin coated | 12           | kg. 0,290   |
| 020 82 642 | 1200  | resin coated | 12           | kg. 0,290   |



#### ADRIAFLEX DIAMOND WIRE CIRCULAR BRUSHES, 150 MM, WITH ANCORA CONNECTION

"Adriaflex" diamond wire circular brushes, 150 mm in diameter, with Ancora connection, designed to create a "silk texture" finish on porcelain gres.

#### Features:

These brushes are used to "soften up" the surface of tiles that are too rough, or to remove any scratch marks left by the previous honing or lapping steps.

| CODE       | GRITS | TYPE         | PCS PER CASE | UNIT WEIGHT |
|------------|-------|--------------|--------------|-------------|
| 020 76 303 | 36    | resin coated | 12           | kg. 0,290   |
| 020 76 306 | 46    | resin coated | 12           | kg. 0,290   |
| 020 76 309 | 60    | resin coated | 12           | kg. 0,290   |
| 020 76 312 | 80    | resin coated | 12           | kg. 0,290   |
| 020 76 315 | 120   | resin coated | 12           | kg. 0,290   |
| 020 76 318 | 180   | resin coated | 12           | kg. 0,290   |
| 020 76 321 | 240   | resin coated | 12           | kg. 0,290   |
| 020 76 324 | 320   | resin coated | 12           | kg. 0,290   |
| 020 76 327 | 500   | resin coated | 12           | kg. 0,290   |



#### SILICON CARBIDE CIRCULAR BRUSHES, Ø 150 MM, WITH ANCORA CONNECTION

Circular silicon carbide brushes, 150 mm in diameter, with Ancora connection, plain or resin-coated, designed to create a "silk texture" finish on porcelain gres.

#### Features:

They are less used than diamond wire brushes, because they have less abrasive power. However, they are used in conjunction with ADRIAFLEX brushes, especially with intermediate and finishing grits, where less abrasive action is required, because they are less expensive.

## SATIN-FINISHING SECTORS FOR USE WITH MULTIPLE-HEAD AUTOMATIC MACHINES

| CODE       | GRITS | TYPE  |
|------------|-------|-------|
| 020 82 253 | 36    | resin |
| 020 82 255 | 46    | resin |
| 020 82 257 | 60    | resin |
| 020 82 259 | 80    | resin |
| 020 82 261 | 100   | resin |
| 020 86 263 | 120   | resin |
| 020 82 265 | 180   | resin |
| 020 82 267 | 220   | resin |
| 020 82 269 | 240   | resin |
| 020 82 271 | 280   | resin |
| 020 82 273 | 320   | resin |
| 020 82 275 | 500   | resin |
| 020 82 277 | 800   | resin |
| 020 82 279 | 1000  | resin |
| 020 82 282 | 1800  | resin |



### ADRIAFLEX DIAMOND WIRE CIRCULAR BRUSHES, Ø 130 MM, WITH TERZAGO CONNECTION

"Adriaflex" diamond wire circular brushes, 150 mm in diameter, with Terzago connection, designed to create a "silk texture" finish on porcelain gres.

#### Features:

These brushes are used to "soften up" the surface of tiles that are too rough, or to remove any scratch marks left by the previous honing or lapping steps.

| CODE       | GRITS | TYPE  |
|------------|-------|-------|
| 020 73 203 | 36    | resin |
| 020 73 206 | 46    | resin |
| 020 73 209 | 60    | resin |
| 020 73 212 | 80    | resin |
| 020 73 215 | 120   | resin |
| 020 73 218 | 180   | resin |
| 020 73 221 | 240   | resin |
| 020 73 224 | 320   | resin |
| 020 73 227 | 500   | resin |



### SILICON CARBIDE CIRCULAR BRUSHES, Ø 130 MM, WITH TERZAGO CONNECTION

Circular brushes, available in 100 and 130 mm diameter, with silicon carbide filaments and Terzago connection, designed to create a "silk texture" finish on porcelain gres.

#### Features:

They are less used than diamond wire brushes, because they have less abrasive power. However, they are used in conjunction with ADRIAFLEX brushes, especially with intermediate and finishing grits, where less abrasive action is required, because they are less expensive.

| CODE       | PACKAGING |
|------------|-----------|
| 030 90 045 | bags      |



### GLUE FOR PACKAGING

Light colored, medium viscosity hot melt for case and carton sealing. It was designed for wrapping around case sealers, which require excellent hot tack, fast set speed and medium short "open time". It is also suggested for use on clay coated board. It is especially suited for those situations in which there is poor machine compression or high spring back.

#### Technical features:

Good bonding layers for hard surfaces and covered with paraffin, fast glue with average "open time" good thermal stability.

Apply with spray gun nozzle.

Recommended processing temperatures: 160-180 ° C

| CODE       | PACKAGING |
|------------|-----------|
| 030 90 047 | bags      |



### ANTI - SCRATCH WAX FOR CERAMIC TILES

Wax melt monocomponent adhesive, Ivory color, used as scratch resistant in the ceramics industry.

#### Technical features:

Good thermal resistance. Can be applied on the bottom of the tile or on glazed tile.

Excellent product that can be removed without leaving residue or streaks.



# ORGANIZZAZIONE VENDITE DIRETTE

## DIRECT SALES NETWORK

### **GREECE:**

ADRIA HELLAS LTD  
KEFALLINIAS, 4  
65300 KAVALA – GREECE  
Tel. e fax: +30-2510-225454

### **TURKEY:**

ADRIA ABRASIV ITH. VE. TIC. LTD. STI.  
MUSTAFA KEMAL MAHALLESİ 2140 SK. N° 3/3  
ESKİŞEHİRYOLU, ÇANKAYA  
06520 ANKARA - TÜRKİYE  
Tel.: +90-312-219.5557  
Fax: +90-312-219.5728  
anssen@abrasiviadria.com

### **SPAIN:**

ADRIA ABRASIVOS S.L.  
CTRA. ATIÓS - SALCEDA, KM. 0,2  
36400 PORRINO – PONTEVEDRA - ESPAÑA  
Tel.: +34-986-344440  
Fax: +34-986-344715  
info@adriaabrasivos.es

### **INDIA:**

ADRIA (INDIA) STONE-TECH  
PRIVATE LIMITED 71-A , ( WING 2 ),  
SIPCOT INDUSTRIAL COMPLEX ,PHASE 1  
KRISHNAMGIRI DISTRICT. HOSUR - 635 126  
Tel. + 91 04344275134  
adria@adriaindia.com

### **POLAND:**

ADRIA POLSKA SP. Z.O.O.  
UL. TAMA POMORZANSKA, 5  
70-030 SZCZECIN – POLAND  
Tel. e fax: +48-91-4343852  
info@adriapolska.pl

ADRIA POLSKA SP. Z O.O.  
UL. DWORCOWA 37  
58-150 STRZEGOM  
POLAND  
Mobile +48 609 075 936  
Mail magazyn@adriapolska.pl

### **USA:**

ADRIA U.S.A. INC.  
175 RIDGE ST.  
07104 NEWARK NJ  
Tel.: +1-973-3508500  
Cell. +1-862-371-6527  
Fax: +1-973-3508508  
info@adriausa.net

### **BRASIL:**

ADRIA BRASIL IMPORTACAO  
E EXPORTACAO LTDA  
Av. Central B, 233, CIVIT II, Serra –  
ES – Brasil  
Cep: 29168-071  
Phone/Fax: + 55 27 32185558  
adriabrasil@abrasiviadria.com